




安装示意图/Assembly Instruction

产品名称 Model NO.	单抽柜
产品型号 Product Model	UD3M-A
尺寸规格 Specification	(712*350*359)mm
安装工具 Tool	安装人数 Installer
	

注：为保证设计效果，部分尺寸为定制尺寸，不影响使用。




(A)* 29

二合一螺杆
2-in-1-screw




(B)* 29

大三合一锁饼
Three-in-one large lock




(C)* 17

木榫Ø8x30mm
wood tenon



(D)* 4

背板扣
Back Plate Buckle-White




(E)* 21

自攻螺丝M3.5x14mm
Self-tapping screw




(F)* 4

脚垫
Footrest




(G)* 1

家具防倒器-白色
Anti-fall device




(H)* 2

U型卡扣
U-shaped buckle



(I)* 1

白色透气孔盖
Breathable cover



(J)* 3

拉手螺丝-M4x25mm
pulling screw



(K)* 1


三节滚珠导轨10"
Three-section rail

编号NO.	名称Name	规格 (mm) Specification	数量 QTY	材质Material
①	转角木Corner connection wood	350*30*30	4	橡胶木 Rubber wood
②	顶底板Top base board	658*349*15	2	刨花板 Particle board
③	侧板Side board	302*349*15	2	刨花板 Particle board
④	背板Back board	692*336*5	1	纤维板 Fiberboard
⑤	抽屉面板Drawer's top panel	678*321*15	1	刨花板 Particle board
⑥	抽屉左侧板Drawer's side board (L)	244*206*15	1	刨花板 Particle board
⑦	抽屉右侧板Drawer's side board (R)	244*206*15	1	刨花板 Particle board
⑧	抽屉后板Drawer's Back board	656*206*15	1	刨花板 Particle board
⑨	抽屉底托条Drawer's bottom bracket	243*58*15	1	刨花板 Particle board
⑩	抽屉底板Drawer's Bottom board	636*253*5	1	纤维板 Fiberboard
⑪	拉手Handle	598*40*35	1	榉木Beech wood

►注：抽屉是设计所需设计缝，小心夹伤！

►Note: The drawers are designed with necessary seams.

Be careful not to pinch!




编号NO.	名称Name
①	转角木Corner connection wood
②	顶底板Top base board
③	侧板Side board
④	背板Back board
⑤	抽屉面板Drawer's top panel
⑥	抽屉左侧板Drawer's side board (L)
⑦	抽屉右侧板Drawer's side board (R)
⑧	抽屉后板Drawer's Back board
⑨	抽屉底托条Drawer's bottom bracket
⑩	抽屉底板Drawer's Bottom board
⑪	拉手Handle




UD3M-A 单抽柜

安装方法/
Installation method



阀门开关(下压为开)
Valve switch
(press down to open)




注: 先将A与B拆下来
Note: remove a and B first




(J)*3



(E)*6



(K)*1



(K) 副轨
Sub rail


1



(A)*12



(B)*12



2

3




(A)*8



(B)*8



(C)*8







4


X2

UD3M-A 单抽柜

安装方法/
Installation method



大二合一
two-in-one



(A)*4



(B)*4




(C)*4




(E)*6



(K)*1



5



(A)*4




(B)*4



(C)*4




(I)*1




6

7



K主轨
K Main rail

8




UD3M-A 单抽柜

9



10

安装方法/
Installation method

(D)*4





(E)*4



(F)*4

根据自己的摆放方式安装五金(F)
Install hardware according to
your own placement method (F)

11



无接触地面不需安装五金(F)
No need to install hardware
without touching the ground (F)


接触地面需安装五金(F)
Hardware installation required
for contact with the ground (F)

UD3M-A 单抽柜


安装方法/
Installation method

(E)*4
(H)*2

组合连接方式, 如只购买单个柜体无需安装
Combination connection method, such as
purchasing only a single cabinet without
installation




上下组合安装方式
Upper and lower combination
installation method



左右组合安装方式
Left and right combination
installation method


(G)*1

G处放大图
Enlarged drawing



实体墙
Solid wall

柜子组合高度超600MM
需安装上防倒器
Cabinet combination
height exceeding
600MM requires
installation of an
anti fall device




LINSY 林氏家居



五金表/Hardware list

部件表/Parts List

安装示意图/Assembly Instruction

产品名称 Model NO.	双门封闭柜
产品型号 Product Model	UD3M-A
尺寸规格 Specification	(712*350*359)mm
安装工具 Tool	安装人数 Installer
	

注：为保证设计效果，部分尺寸为定制尺寸，不影响使用。




(A)* 21

二合一螺杆
2-in-1-screw




(B)* 21

大三合一锁饼
Three-in-one large lock




(C)* 17

木榫Ø8x30mm
wood tenon




(D)* 4

背板扣
Back Plate Buckle-White




(E)* 8

自攻螺丝M3.5x14mm
Self-tapping screw




(F)* 4

脚垫
Footrest




(G)* 1

家具防倒器-白色
Anti-fall device




(H)* 2

U型卡扣
U-shaped buckle



(I)* 1

白色透气孔盖
Breathable cover



(J)* 4


大弯缓冲门铰-杯径Ø35
Great bend hinge

编号NO.	名称Name	规格 (mm) Specification	数量 QTY	材质Material
①	转角木Corner connection wood	350*30*30	4	橡胶木 Rubber wood
②	顶板Top board	658*349*15	1	刨花板 Particle board
③	底板Bottom board	658*349*15	1	刨花板 Particle board
④	左侧板Side board(L)	302*349*15	1	刨花板 Particle board
⑤	右侧板Side board(R)	302*349*15	1	刨花板 Particle board
⑥	拉条Brace	682*40*15	1	刨花板 Particle board
⑦	背板Back board	692*336*5	1	纤维板 Fiberboard
⑧	左门板Door board(L)	338*299*15	1	刨花板 Particle board
⑨	右门板Door board(R)	338*299*15	1	刨花板 Particle board

►注：门是设计所需设计缝，小心夹伤！

►Note: The doors are designed with necessary seams.





Be careful not to pinch!




编号NO.	名称Name
①	转角木Corner connection wood
②	顶板Top board
③	底板Bottom board
④	左侧板Side board(L)
⑤	右侧板Side board(R)
⑥	拉条Brace
⑦	背板Back board
⑧	左门板Door board(L)
⑨	右门板Door board(R)

UD3M-A 双门封闭柜

安装方法/
Installation method



大二合一
two-in-one



(A)*8



(B)*8



(C)*8



(A)*6




(B)*6



(C)*4



(I)*1



1




(A)*6



(B)*6




(C)*4




2


3



(J)*4






4




安装方法/
Installation method

- (D)*4 
- (E)*4 




- (F)*4 

根据自己的摆放方式安装五金(F)
Install hardware according to your own placement method (F)



无接触地面不需安装五金(F)
No need to install hardware without touching the ground (F)




接触地面需安装五金(F)
Hardware installation required for contact with the ground (F)

UD3M-A 双门封闭柜


安装方法/
Installation method

(E)*4
(H)*2

组合连接方式, 如只购买单个柜体无需安装
Combination connection method, such as
purchasing only a single cabinet without
installation




上下组合安装方式
Upper and lower combination
installation method



左右组合安装方式
Left and right combination
installation method


(G)*1

G处放大图
Enlarged drawing



实体墙
Solid wall

柜子组合高度超600MM
需安装上防倒器
Cabinet combination
height exceeding
600MM requires
installation of an
anti fall device




LINSY 林氏家居


五金表/Hardware list










部件表/Parts List

安装示意图/Assembly Instruction

产品名称 Model NO.	开放柜
产品型号 Product Model	UD3M-A
尺寸规格 Specification	(712*350*715)mm
安装工具 Tool	安装人数 Installer
	


注：为保证设计效果，部分尺寸为定制尺寸，不影响使用。



 (A)* 25 二合一螺杆 2-in-1-screw	 (B)* 29 大三合一锁饼 Three-in-one large lock	 (C)* 17 木榫Ø8x30mm wood tenon	 (D)* 8 背板扣 Back Plate Buckle-White
 (E)* 13 自攻螺丝M3.5x14mm Self-tapping screw	 (F)* 4 脚垫 Footrest	 (G)* 1 家具防倒器-白色 Anti-fall device	 (H)* 2 U型卡扣 U-shaped buckle
 (I)* 2 双头三合一螺杆 Double head 3-in-1 screw	 (J)* 1 夹板条 Backplane slot		





编号NO.	名称Name	规格 (mm) Specification	数量 QTY	材质Material
①	转角木Corner connection wood	350*30*30	4	橡胶木 Rubber wood
②	侧板Side board	658*349*15	4	刨花板 Particle board
③	固定层板Fixed shelf	682*317*15	1	刨花板 Particle board
④	中侧板Middle side board	333.5*317*15	2	刨花板 Particle board
⑤	背板Back board	692*345*5	2	纤维板 Fiberboard

编号NO.	名称Name
①	转角木Corner connection wood
②	侧板Side board
③	固定层板Fixed shelf
④	中侧板Middle side board
⑤	背板Back board



UD3M-A 开放柜

安装方法/
Installation method



大二合一
two-in-one




(A)*8




(B)*8



(C)*8




1




(A)*2



(B)*6



(I)*2



2


X2



(A)*2



(B)*2



3




(A)*6



(B)*6







(C)*4



4

UD3M-A 开放柜

安装方法/
Installation method



大二合一
two-in-one



(A)*6



(B)*6



(C)*4




(J)*1



(F)*4



5



(D)*8




(E)*8




6

7

根据自己的摆放方式安装五金(F)
Install hardware according to
your own placement method (F)



无接触地面不需安装五金(F)
No need to install hardware
without touching the ground (F)



接触地面需安装五金(F)
Hardware installation required
for contact with the ground (F)

UD3M-A 开放柜

安装方法/
Installation method




(E)*4




(H)*2

组合连接方式, 如只购买单个柜体无需安装
Combination connection method, such as
purchasing only a single cabinet without
installation




上下组合安装方式
Upper and lower combination
installation method




左右组合安装方式
Left and right combination
installation method

(G)*1

G处放大图
Enlarged drawing



实体墙
Solid wall




LINSY 林氏家居

五金表/Hardware list











部件表/Parts List

安装示意图/Assembly Instruction

产品名称 Model NO.	玻璃格+双抽柜
产品型号 Product Model	UD3M-A
尺寸规格 Specification	(712*365*715)mm
安装工具 Tool	安装人数 Installer
	

注：为保证设计效果，部分尺寸为定制尺寸，不影响使用。




 (A)* 55 二合一螺杆 2-in-1-screw	 (B)* 55 大三合一锁饼 Three-in-one large lock	 (C)* 17 木榫Ø8x30mm wood tenon	 (D)* 8 背板扣 Back Plate Buckle-White
 (E)* 38 自攻螺丝M3.5x14mm Self-tapping screw	 (F)* 4 脚垫 Footrest	 (G)* 1 家具防倒器-白色 Anti-fall device	 (H)* 2 U型卡扣 U-shaped buckle
 (I)* 4 拉手螺丝-M4x18mm pulling screw	 (J)* 4 白色硅胶垫片 White silicone gasket	 (K)* 4 透明塑料垫片 Transparent plastic gasket	 (L)* 4 孔塞 Cone
 (M)* 1 白色透气孔盖 Breathable cover	 (N)* 2 玻璃 Glass	 (O)* 2 三节滚珠导轨10" Three-section rail	 (P)* 1 夹板条 Backplane slot

编号NO.	名称Name	规格 (mm) Specification	数量 QTY	材质Material
①	左转角木Corner connection wood (L)	350*30*30	2	橡胶木 Rubber wood
②	右转角木Corner connection wood (R)	350*30*30	2	橡胶木 Rubber wood
③	顶板Top board	658*349*15	1	刨花板 Particle board
④	底板Bottom board	658*349*15	1	刨花板 Particle board
⑤	固定层板Fixed shelf	682*318*15	1	刨花板 Particle board
⑥	左侧板Side board(L)	658*349*15	1	刨花板 Particle board
⑦	右侧板Side board(R)	658*349*15	1	刨花板 Particle board
⑧	中侧板Middle side board	326*287*15	1	刨花板 Particle board
⑨	拉条Brace	682*58*25	1	刨花板 Particle board
⑩	上背板Upper back board	692*345*5	1	纤维板 Fiberboard
⑪	下背板Lower back board	692*345*5	1	纤维板 Fiberboard
⑫	上抽屉面板Upper drawer's panel	678*156*15	1	刨花板 Particle board
⑬	下抽屉面板Bottom drawer's panel	678*156*15	1	刨花板 Particle board
⑭	抽屉侧板Drawer's sideboard	260*110*15	4	刨花板 Particle board
⑮	抽屉后板Drawer's Back board	656*110*15	2	刨花板 Particle board
⑯	抽屉底托条Drawer's bottom bracket	260*58*15	2	刨花板 Particle board
⑰	抽屉底板Drawer's Bottom board	636*270*5	2	纤维板 Fiberboard
⑱	门拉手Door Handle	80*25*20	2	桦木 Birch

►注：抽屉是设计所需设计缝，小心夹伤！

►Note: The drawers are designed with necessary seams. Be careful not to pinch!




编号NO.	名称Name
①	左转角木Corner connection wood (L)
②	右转角木Corner connection wood (R)
③	顶板Top board
④	底板Bottom board
⑤	固定层板Fixed shelf
⑥	左侧板Side board(L)
⑦	右侧板Side board(R)
⑧	中侧板Middle side board
⑨	拉条Brace
⑩	上背板Upper back board
⑪	下背板Lower back board
⑫	上抽屉面板Upper drawer's panel
⑬	下抽屉面板Bottom drawer's panel
⑭	抽屉侧板Drawer's sideboard
⑮	抽屉后板Drawer's Back board
⑯	抽屉底托条Drawer's bottom bracket
⑰	抽屉底板Drawer's Bottom board
⑱	门拉手Door Handle

UD3M-A 玻璃格+双抽柜

安装方法/


Installation method

阀门开关(下压为开)
Valve switch
(press down to open)




注: 先将A与B拆下来
Note: remove a and B first

侧板
side board



抽屉侧板
sideboard
of the drawer




注: 将B对准A后推进去
Note: align B with a
and push it in

三节滚珠导轨
three-section ball rail

(A)*24

(B)*24




X2

3

(A)*8


(B)*8

(C)*8



(A)*6

(B)*6




UD3M-A 玻璃格+双抽柜

安装方法/


Installation method

阀门开关(下压为开)
Valve switch
(press down to open)





注: 先将A与B拆下来
Note: remove a and B first

侧板
side board



抽屉侧板
sideboard
of the drawer




注: 将B对准A后推进去
Note: align B with a
and push it in

三节滚珠导轨
three-section ball rail

(A)*24

(B)*24




X2

3

(A)*8


(B)*8

(C)*8



(A)*6

(B)*6




UD3M-A 玻璃格+双抽柜

安装方法/


Installation method

阀门开关(下压为开)
Valve switch
(press down to open)




注: 先将A与B拆下来
Note: remove a and B first

侧板
side board



抽屉侧板
sideboard
of the drawer




注: 将B对准A后推进去
Note: align B with a
and push it in

三节滚珠导轨
three-section ball rail

(A)*24

(B)*24




X2

3

(A)*8


(B)*8

(C)*8



(A)*6

(B)*6




UD3M-A 玻璃格+双抽柜

安装方法/


Installation method

阀门开关(下压为开)
Valve switch
(press down to open)




注: 先将A与B拆下来
Note: remove a and B first

侧板
side board



抽屉侧板
sideboard
of the drawer




注: 将B对准A后推进去
Note: align B with a
and push it in

三节滚珠导轨
three-section ball rail

(A)*24

(B)*24




X2

3

(A)*8


(B)*8

(C)*8



(A)*6

(B)*6




UD3M-A 玻璃格+双抽柜

安装方法/


Installation method

阀门开关(下压为开)
Valve switch
(press down to open)





注: 先将A与B拆下来
Note: remove a and B first

侧板
side board



抽屉侧板
sideboard
of the drawer




注: 将B对准A后推进去
Note: align B with a
and push it in

三节滚珠导轨
three-section ball rail

(A)*24

(B)*24




X2

3

(A)*8


(B)*8

(C)*8



(A)*6

(B)*6




UD3M-A 玻璃格+双抽柜

安装方法/


Installation method

阀门开关(下压为开)
Valve switch
(press down to open)




注: 先将A与B拆下来
Note: remove a and B first

侧板
side board



抽屉侧板
sideboard
of the drawer




注: 将B对准A后推进去
Note: align B with a
and push it in

三节滚珠导轨
three-section ball rail

(A)*24

(B)*24




X2

3

(A)*8


(B)*8

(C)*8



(A)*6

(B)*6




UD3M-A 玻璃格+双抽柜

安装方法/


Installation method

阀门开关(下压为开)
Valve switch
(press down to open)




注: 先将A与B拆下来
Note: remove a and B first

侧板
side board



抽屉侧板
sideboard
of the drawer




注: 将B对准A后推进去
Note: align B with a
and push it in

三节滚珠导轨
three-section ball rail

(A)*24

(B)*24




X2

3

(A)*8


(B)*8

(C)*8



(A)*6

(B)*6




UD3M-A 玻璃格+双抽柜

安装方法/


Installation method

阀门开关(下压为开)
Valve switch
(press down to open)





注: 先将A与B拆下来
Note: remove a and B first

侧板
side board



抽屉侧板
sideboard
of the drawer




注: 将B对准A后推进去
Note: align B with a
and push it in

三节滚珠导轨
three-section ball rail

(A)*24

(B)*24




X2

3

(A)*8


(B)*8

(C)*8



(A)*6

(B)*6




UD3M-A 玻璃格+双抽柜

安装方法/


Installation method

阀门开关(下压为开)
Valve switch
(press down to open)





注: 先将A与B拆下来
Note: remove a and B first

侧板
side board



抽屉侧板
sideboard
of the drawer




注: 将B对准A后推进去
Note: align B with a
and push it in

三节滚珠导轨
three-section ball rail

(A)*24

(B)*24




X2

3

(A)*8


(B)*8

(C)*8



(A)*6

(B)*6




UD3M-A 玻璃格+双抽柜

安装方法/


Installation method

阀门开关(下压为开)
Valve switch
(press down to open)




注: 先将A与B拆下来
Note: remove a and B first

侧板
side board



抽屉侧板
sideboard
of the drawer




注: 将B对准A后推进去
Note: align B with a
and push it in

三节滚珠导轨
three-section ball rail

(A)*24

(B)*24




X2

3

(A)*8


(B)*8

(C)*8



(A)*6

(B)*6




UD3M-A 玻璃格+双抽柜

安装方法/


Installation method

阀门开关(下压为开)
Valve switch
(press down to open)




注: 先将A与B拆下来
Note: remove a and B first

侧板
side board



抽屉侧板
sideboard
of the drawer




注: 将B对准A后推进去
Note: align B with a
and push it in

三节滚珠导轨
three-section ball rail





(A)*24

(B)*24



UD3M-A 玻璃格+双抽柜


安装方法/
Installation method



大二合一
two-in-one


- (A) * 4
- (B) * 4
- (M) * 1
- (P) * 1

- (A) * 6
- (B) * 6
- (C) * 4




5

- (A) * 4
- (B) * 4
- (C) * 4




6




7


- (E) * 12
- (L) * 4
- (O) * 2



8




安装方法/
Installation method




9

-  (D)*8
-  (E)*8




10




11

-  (F)*4



无接触地面不需安
装五金(F)
No need to
install hardware
without touching
the ground (F)



接触地面需安装五金(F)
Hardware
installation
required for contact
with the ground (F)


12

UD3M-A 玻璃格+双抽柜


安装方法/
Installation method

- (E)*4
- (H)*2

组合连接方式, 如只购买单个柜体无需安装
 Combination connection method, such as purchasing only a single cabinet without installation




上下组合安装方式
 Upper and lower combination installation method





左右组合安装方式
 Left and right combination installation method

- (G)*1

G处放大图
 Enlarged drawing



实体墙
 Solid wall




LINSY 林氏家居


五金表/Hardware list











部件表/Parts List


安装示意图/Assembly Instruction

产品名称 Model NO.	开放格+单抽柜
产品型号 Product Model	UD3M-A
尺寸规格 Specification	(712*350*715)mm
安装工具 Tool	安装人数 Installer
	


注：为保证设计效果，部分尺寸为定制尺寸，不影响使用。



 (A)* 49 二合一螺杆 2-in-1-screw	 (B)* 49 大三合一锁饼 Three-in-one large lock	 (C)* 19 木榫Ø8x30mm wood tenon	 (D)* 8 背板扣 Back Plate Buckle-White
 (E)* 25 自攻螺丝M3.5x14mm Self-tapping screw	 (F)* 4 脚垫 Footrest	 (G)* 1 家具防倒器-白色 Anti-fall device	 (H)* 2 U型卡扣 U-shaped buckle
 (I)* 1 白色透气孔盖 Breathable cover	 (J)* 2 大弯缓冲门铰-杯径Ø35 Great bend hinge	 (K)* 1 三节滚珠导轨10" Three-section rail	 (L)* 1 夹板条 Backplane slot



1)




2)

注意：此产品有两种安装方式，按实际需要安装；图纸是第一种安装方式。

Attention: This product has two installation methods, please install according to actual needs; Drawing is the first installation method

►注：门和抽屉都是设计所需设计缝，小心夹伤！
►Note: The doors and drawers are designed with necessary seams. Be careful not to pinch!





编号NO.	名称Name	规格 (mm) Specification	数量 QTY	材质Material
①	转角木Corner connection wood	350*30*30	4	橡胶木 Rubber wood
②	顶板Top board	658*349*15	1	刨花板 Particle board
③	底板Bottom board	658*349*15	1	刨花板 Particle board
④	固定层板Fixed shelf	682*318*15	1	刨花板 Particle board
⑤	左侧板Side board(L)	658*349*15	1	刨花板 Particle board
⑥	右侧板Side board(R)	658*349*15	1	刨花板 Particle board
⑦	隔板Clapboard	326*300*15	2	刨花板 Particle board
⑧	拉条Brace	682*40*25	1	刨花板 Particle board
⑨	上背板Upper back board	692*345*5	1	纤维板 Fiberboard
⑩	下背板Lower back board	692*345*5	1	纤维板 Fiberboard
⑪	门板Door board	357*322*15	1	纤维板 Fiberboard
⑫	抽屉面板Drawer's top panel	678*259*15	1	刨花板 Particle board
⑬	装饰条Decorative strips	678*55*15	1	纤维板 Fiberboard
⑭	抽屉侧板Drawer's sideboard	260*206*15	2	刨花板 Particle board
⑮	抽屉后板Drawer's Back board	656*206*15	1	刨花板 Particle board
⑯	抽屉底托条Drawer's bottom bracket	260*58*15	1	刨花板 Particle board
⑰	抽屉底板Drawer's Bottom board	636*270*5	1	纤维板 Fiberboard




编号NO.	名称Name
①	转角木Corner connection wood
②	顶板Top board
③	底板Bottom board
④	固定层板Fixed shelf
⑤	左侧板Side board(L)
⑥	右侧板Side board(R)
⑦	隔板Clapboard
⑧	拉条Brace
⑨	上背板Upper back board
⑩	下背板Lower back board
⑪	门板Door board
⑫	抽屉面板Drawer's top panel
⑬	装饰条Decorative strips
⑭	抽屉侧板Drawer's sideboard
⑮	抽屉后板Drawer's Back board
⑯	抽屉底托条Drawer's bottom bracket
⑰	抽屉底板Drawer's Bottom board

UD3M-A 开放格+单抽柜

安装方法/
Installation method



大二合一
two-in-one



(A)*8



(B)*8




(C)*8




(A)*5



(B)*5




5



(A)*6



(B)*6



6

7



(A)*3




(B)*3




(I)*1



(L)*1







8



UD3M-A 开放格+单抽柜


安装方法/
Installation method



大二合一
two-in-one


- (A)*4
- (B)*4
- (C)*4

- (E)*6
- (K)*1




9


- (A)*6
- (B)*6
- (C)*4



10








11



12

安装方法/



Installation method



门铰
Hinge

(J)*2

(F)*4




无接触地面不需安装五金(F)
No need to install hardware
without touching the ground (F)


13

(D)*8

(E)*8



根据自己的摆放方式安装五金(F)
Install hardware according to
your own placement method (F)



接触地面需安装五金(F)
Hardware installation required
for contact with the ground (F)


15

UD3M-A 开放格+单抽柜


安装方法/
Installation method

-  (E)*4
-  (H)*2

组合连接方式, 如只购买单个柜体无需安装
 Combination connection method, such as purchasing only a single cabinet without installation




上下组合安装方式
 Upper and lower combination installation method



左右组合安装方式
 Left and right combination installation method

-  (G)*1

G处放大图
 Enlarged drawing



实体墙
 Solid wall

