





page: 3/4 产品名称 Model NO 8803-A/B/C/D/J 安 装 示 意 图 Assembly Instruction	STEP:5 将部件5（右扶手软包）用配件D（大扁头内六角M8*40）固定在座背架上 Fix part 5 (right armrest) on the seat back frame with accessory D (M8*40 screws) 扶手镂空朝内 60%  注意： 不要把螺丝锁紧， (约60%)确认无异常 后全部拧紧螺丝。	STEP:6 用配件F(闷盖) 盖在部件4（左扶手软包）上 Cover part 4 (Left armrest) with fitting F (cover) 
	STEP:7 用配件F(闷盖) 盖在部件5（右扶手软包）上 Cover part 5 (Right armrest) with fitting F (cover) 	STEP:8 将部件8（2.0寸PU黑插轮）插入部件6（330#电镀脚），组装好的上部分通过配件E（三级气杆）插入部件6（330#电镀脚） Insert part 8 (wheels) into part 6 (Foot). The assembled upper part is inserted into part 6 (foot) through accessory E (air rod) 
	STEP:9 安装完成 The installation is complete. 	温馨提示：由于椅子有倾仰整体联动功能，安装完成后扶手有轻微摇晃属正常现象，不属于质量问题。 Tips: Since the chair has the overall linkage function of tilting, it is normal for the armrest to shake slightly after installation, and it is not a quality problem

page: 2/3		STEP:1	STEP:2
产品名称 Model NO		将部件7 (托盘) 用配件B (大扁头内六角M6*20) 固定在部件2 (座软包) Fix part 6 (tray) to part 2 (Seat soft case) with accessory B (M6*20 screws)	将部件1 (背软包) 插入部件7 (托盘) Insert part 1(back soft case) into part 6 (tray)
BY043-AB/042			
安 装 示 意 图 Assembly Instruction		STEP:3	STEP:4
		用配件C(平头内六角M8*20) 将部件1 (背软包) 固定 Fix part 1 (back soft case) with accessory C (M8*20 screws)	将部件4 (左扶手软包) 用配件D (杯头内六角M8*40) 固定在座背架上Fix part 4 (left armrest) on the back frame with accessory D(M8*40 screws)

图例: 2/4	
产品名称 Model No	BY043-AB03H2
安 装 示 意 图	
Assembly Instruction	

STEP:1

将部件7（托盘）用配件B（大扁头内六角M6*20）固定在部件2（座软包）

Fix part 7 (tray) to part 2 (Seat soft case) with accessory B (M6*20 screws)

STEP:2

将部件1（背软包）插入部件7（托盘） Insert part 1(back soft case) into part 7 (tray)

STEP:3

用配件C（平头内六角M8*20）将部件1（背软包）固定

Fix part 1 (back soft case) with accessory C (M8*20 screws)

注意：
先锁对角螺丝固定，再锁其他螺丝，不要把螺丝锁紧，(约60%) 确认无异常后全部拧紧螺丝。

STEP:4

将部件4（左扶手软包）用配件D（大扁头内六角M8*40）固定在座骨架上

Fix part 4 (left armrest) on the back frame with accessory D (M8*40 screws)

注意：
不要把螺丝锁紧，(约60%) 确认无异常后全部拧紧螺丝。