

LS493W1-A学习椅说明书

LS493W1-A Study chair instruction manual

▼ 主要用途及适用范围

Main use and scope of application

适用3岁~6岁儿童(请在成人监护下操作、使用),适合120cm~180cm不同身高人群,主要可用于读书、写字、绘画、手工

Suitable for 3-6 years old children. (Pls adjust&use it under the supervision of adults.)Suitable for 120cm-180cm different height groups, mainly for reading, writing, drawing, handwork, etc.

▼ 主要原材料及名称

Main raw materials and names

主要原/辅材料 Main raw/accessory materials	使用部位 Using parts	特性 characterization
纺织面料 Textile fabrics	靠背、座垫 Backrests, seat cushions	环保等级高,耐刮、易清洁、承重抗变形能力强 High environmental grade, scratch-resistant, easy to clean, load-bearing and deformation-resistant ability
海绵 Sponges	靠背、座垫 Backrests,Seat cushions	弹性好舒适、不易变形 Good elasticity and comfort, not easy to deform
塑料件 Plastic part	椅脚、扶手 Chair legs, armrestst	韧性强、抗冲击 Tough and impact resistant
碳素钢 Carbon steel	椅杆 Chair pole	不易生锈、耐腐蚀、光泽好、承重能力强 Not easy to rust, corrosion resistance, good luster, strong load-bearing capacity
塑粉 plasticizer	五金件表面处理 Hardware surface treatment	色泽持久、不易褪色 Long-lasting color, not easy to fade

▼ 结构特征与原理参数

Structural Features and Fundamental Parameters

特性 Characterization	原理 Principle	参数 Parameters
座垫升降 Seat cushion height adjustment	通过调节机构将座垫调节到合适位置,并固定。 Adjust the seat cushion to the appropriate position using the adjustment mechanism and secure it in place.	41.5-53cm
脚踏升降(选配) Foot-operated lift (optional)	通过拉动脚踏到不同的档位,调节到合适位置。 Adjust to the appropriate position by pulling the foot lever to different gear positions.	14-19cm
前后座深行程 Front and rear seat travel	通过调节机构将靠背调节到合适位置,并固定。 Adjust the backrest to the desired position using the adjustment mechanism and secure it in place.	20.5-39cm
产品外形尺寸	—	(65-76) x60x (84.5-96.5) cm

▼ 有害物质限量标准

Hazardous substance limit standards

类别 Category	项目 Project		限量要求 Limited edition requirements	是否达标 Is it up to standard
表面涂层 Surface coating	可迁移元素 Relocatable element	锑Sb	≤60(mg/kg)	○
		砷As	≤25(mg/kg)	○
		钡Ba	≤1000(mg/kg)	○
		镉Cd	≤75(mg/kg)	○
		铬Cr	≤60(mg/kg)	○
		铅Pb	≤90(mg/kg)	○
		汞Hg	≤60(mg/kg)	○
		硒Se	≤500(mg/kg)	○
纺织面料 Textile fabrics	可分解芳香胺 Decomposable aromatic amines		≤20(mg/kg)	○
皮革 Leathers	可分解芳香胺 Decomposable aromatic amines	人造革 artificial leather	≤20(mg/kg)	○
		皮革 Leathers	≤30(mg/kg)	○
塑料 Plastics	邻苯二甲酸酯 Phthalate ester		≤0.1%	○
	多环芳烃 Polycyclic aromatic hydrocarbon (PAH)	苯并[a]芘 Benzo[a]pyrene	≤1.0mg/kg	○
		18种多环芳烃(PAH)总量 18 types (PAH) total	≤10mg/kg	○
产品 Products	甲醛 Formaldehyde (HCHO)		≤0.08(mg/m³)	○
产品 Products	苯 Benzene		≤0.06(mg/m³)	○
产品 Products	甲苯 Toluene C6H5CH3		≤0.15(mg/m³)	○
产品 Products	二甲苯 Xylene		≤0.20(mg/m³)	○
产品 Products	TVOC		≤0.50(mg/m³)	○

* 不同产品的具体控制项目,按GB 28007-2024标准执行(与安装说明书重合部分以此份为准)

○表示该有害物质在材料中含量在规定限量要求以下

×表示该有害物质在材料中含量超出规定限量要求

* Specific control items of different products, according to the GB 28007-2024 standard (overlap with the installation instructions of the part of this copy shall prevail)

○ Indicates that the content of the hazardous substance in the material is below the specified limit.

× Indicates that the content of the hazardous substance in the material is below the specified limit.

▼ 核对零件

Check all the parts




▼ 警示标语

Warning



注意安全
Stay safe



小心夹伤
Beware of pinching




只允许成人安装
Installation is permitted
for adults only

特别注意! Special attention!

只允许成人安装, 儿童勿近, 以防碰到或误吞配套五金件。
Installation by adults only. Keep children away to
prevent contact with or accidental ingestion of
hardware components.


▼ 安装步骤

Installation Procedure



第一步: 将制动轮(5)和万向轮(6)插入椅脚(13)图示位置, 将图示位置螺栓拧出, 用其将脚踏(11)固定在椅脚组件上。

Step 1: Insert the brake wheel and swivel castor into the designated positions on the chair legs. Remove the bolts from the indicated locations and use them to secure the footrest to the chair leg assembly.




第三步: 将图示位置螺栓拧出, 用其将扶手组件(7)固定在座垫组件(12)上。

注: 先安装两侧螺栓, 再安装内侧螺栓。


Step 3: Remove the bolts at the indicated locations and use them to secure the Armrest assembly to the seat cushion assembly.

Note: Install the outer bolts first, then the inner bolts.




第五步: 将靠背后方螺栓拧出, 用其将靠背组件(8)固定在靠背支架上, 然后堵上塑料孔塞。

Step 5: Remove the rear bolts from the backrest assembly and use them to secure the backrest to the backrest bracket. Then insert the plastic plugs into the holes.



第二步: 将气杆(4)插入椅脚, 再将椅脚装饰盖(9)卡入椅脚。

Step 2: Insert the gas spring into the chair leg, then snap the decorative cap onto the chair leg.




第四步: 将图示位置螺栓拧出, 并用2颗ST4.2x16自攻螺丝将靠背支架(10)固定在座垫组件上。

Step 4: Remove the bolts at the indicated locations and secure the backrest bracket to the seat cushion assembly using two ST4.2x16 self-tapping screws.



第六步: 将步骤5组件插入步骤2组件, 安装完成。


Step 5: Insert the Step 5 component into the Step 2 component to complete the installation.



第七步：将靠背套和椅套(14)平整套在座椅上。


Step 5: Remove the rear bolts from the backrest and use them to secure the backrest to the backrest bracket. Then insert the plastic plugs into the holes.

▼ 调整方法 Adjustment Method



座深调节：
通过调节机构将靠背调节到合适位置，并固定。

Seat depth adjustment: Adjust the backrest to the desired position using the adjustment mechanism and secure it in place.




扶手角度调节：
握住扶手，向后转动扶手。

Adjusting the armrest angle: Grasp the armrest and rotate it backward.




第八步：制动轮开启/关闭方式：
座椅使用时如不能移动，两脚分别轻踩左、右制动轮开关一次，便可移动座椅，再轻踩一次则锁定轮组不可再移动座椅。
Step 5: Brake Wheel Activation/Deactivation Method:
If the seat cannot be moved during use, lightly press the left and right brake wheel switches once each to unlock the seat. Pressing each switch once more will lock the wheels, preventing further movement of the seat.



座垫高度调节：
通过调节机构将座垫调节到合适位置，并固定。

Seat Height Adjustment: Adjust the seat to the desired position using the adjustment mechanism and secure it in place.



脚踏角度调节：
通过上提的方式调节脚踏高度。注：降低脚踏高度时，需先将脚踏拉到最高处再返回至最低位置。

Footrest Angle Adjustment: Raise the footrest to adjust its height. **Note:** To lower the footrest, first pull it to its highest position before returning it to the lowest setting.

▼ 注意事项 Caveat

- 1.请在充分熟悉座椅的使用方法后再进行使用。
- 2.请正确使用该产品，严禁站、躺在产品上，严禁用作梯子等其他用途。
- 3.当有人坐在椅子上时，请勿强制推动。
- 4.请勿在椅子上嬉戏打闹。
- 5.请不要盘腿坐在椅子上，有滑落的危险。
- 6.站立时请勿倚靠椅子，以免椅子滑动导致受伤。
- 7.在锁紧所有螺丝和部件的情况下才能使用本产品，至少每三个月检查锁紧螺丝和部件。
- 8.如果部件缺失、损坏或磨损，请停止使用本产品，用工厂提供的配件来维修或联系售后。
- 9.严禁坐在产品座垫以外的其他地方。
- 10.本产品为一人座设计，每次使用仅限一人。
- 11.椅子请远离火源，以免发生火灾。
- 12.儿童请在成人监护下使用。

警告：

不遵守以上说明将导致严重伤害！

1. Please use the seat after fully familiarizing yourself with its usage.
2. Please use the product correctly, it is strictly prohibited to stand or lie on the product, or use it as a ladder or other purposes.
3. Please do not push forcibly when someone is sitting on the chair.
4. Please do not play on the chair.
5. Please do not sit cross-legged on the chair, there is a danger of slipping.
6. Do not lean on the chair while standing, as the chair may slide and cause injury.
7. Use the product only when all screws and parts are locked, and check the locking screws and parts at least every three months.
8. If parts are missing, damaged or worn, stop using the product and repair it with factory supplied parts or contact the after-sales service.
9. It is strictly prohibited to sit on the product other than the seat cushion.
10. This product is designed for one person, each use is limited to one person.
11. Please keep the chair away from fire source to avoid fire.
12. Children should be used under adult supervision.

Warning:

Failure to follow the above instructions will result in serious injury!

▼ 安装注意事项 Installation Precautions

- 1.安装前，请在地面铺上纸箱或防护物，以保护产品和地面。
- 2.安装时，请保持产品水平放置于地面，以免倾覆造成伤害，螺丝不要一次拧的过紧，调节完成无误后再拧紧全部螺丝。
- 3.安装结束后，请对产品进行高度升降调节测试，如有异常请检查步骤是否正确，如无法解决请联系在线客服或当地经销商进行处理。

※以下采用的线稿是为了说明产品的结构和安装、使用方法，当实物与线稿有差异时，请以实物为准。

1. Before installation, please lay a cardboard box or protective material on the ground to protect the product and the ground.
2. When installing, please keep the product placed horizontally on the ground, so as not to cause injury by tipping over, do not tighten the screws too tightly at one time, and then tighten all the screws after the adjustment is completed without error.
3. After installation, please test the height elevation adjustment of the product, if there is any abnormality, please check whether the steps are correct, if you can't solve the problem, please contact online customer service or local dealers to deal with it.

※The following line drawings are used to illustrate the structure of the product and how to install and use it. When there is a difference between the actual product and the line drawings, please refer to the actual product.

▼ 搬运及储存 Handling and Storage

- 1.远距离搬运时，应装有外包装，轻搬轻放。
- 2.桌椅应定期擦拭保养，以确保桌椅整洁干净。
- 3.长期不使用，应覆盖防尘罩，存放在室内干燥环境中。

*该产品适用于室内使用

1. For long-distance transport, use outer packaging and handle with care.
2. Wipe down and maintain furniture regularly to ensure cleanliness.
3. When not in use for extended periods, cover with dust covers and store indoors in a dry environment.

*This product is intended for indoor use only.

▼ 产品的保养 Product Maintenance

- 1.严禁使用腐蚀性过强的清洁剂（浴厕清洁剂、烤箱清洁剂、金属清洁剂、漂白剂等）进行擦拭。
- 2.座椅切勿使用尖锐硬物故意刮划，因此产生的售后不予受理。
- 3.座椅均有专用椅套可选配，建议您在选择本产品时搭配合适的椅套使用。
- 4.座椅清洁时，先除尘，再用干毛巾或软棉布轻轻擦拭，以免刮花表面。若产品表面沾有墨汁、印泥、残胶等特殊污渍，建议去商店购买专业家具清洁剂来清洁。
- 5.椅腿部位应用细软干布轻抹，不要用清洁剂。
- 6.放置位置尽可能避免阳光直晒及长时间光线照射，以免造成局部褪色或材料变质。
- 7.本产品仅适用于室内环境，避免置于户外或高温潮湿场所使用。
- 8.在锁紧所有螺丝和部件的情况下才能使用本产品，至少每三个月检查锁紧螺丝和部件。

1. Strictly avoid using highly corrosive cleaners (such as bathroom cleaners, oven cleaners, metal cleaners, bleach, etc.) for wiping.
2. Do not intentionally scratch the seat with sharp or hard objects; any resulting damage will not be covered under warranty.
3. Special seat covers are available as optional accessories. We recommend pairing this product with a suitable seat cover for use.
4. When cleaning seats, first remove dust, then gently wipe with a dry towel or soft cotton cloth to avoid scratching the surface. For stubborn stains like ink, stamp pads, or adhesive residue, purchase professional furniture cleaner from a store.
5. Wipe chair legs with a soft, dry cloth only; do not use cleaning agents.
6. Avoid placing the chair in direct sunlight or prolonged exposure to light to prevent localized fading or material degradation.
7. This product is intended for indoor use only. Do not place it outdoors or in high-temperature, humid environments.
8. Use this product only after ensuring all screws and components are securely tightened. Inspect and retighten screws and components at least every three months.

LINSY林氏家居

安装示意图/Assembly Instruction

产品名称 Model NO.



LS493W1-A

产品规格 Specification

(65-76) x 60 x (84.5-96.5) cm

安装工具 Tool

安装人数	Installer
------	-----------



五金表/Hardware list



(A)*1

扳手
Spanner



(B) *2

塑料孔塞
Plastic plug



(C) *2

ST4. 2x16
自攻螺丝
ST4. 2x16
Self-Tapping
Screw

部件表/Parts List

[illegible]